










# OMC ENTERPRISES INC.












212B Wilkinson Road, Brampton, Ontario  
L6T 4M4












Web: [www.omctool.com](http://www.omctool.com)












Email: [info@omctool.com](mailto:info@omctool.com)












Tel: (905)-450-0581












ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TIRLI2002A1-BC		<b>20V Lithium-Ion impact driver Combo (1 Battery+1 Charger)</b>	Brushless Motor Drill voltage:20V Hex shank:1/4" No-load speed:0-1300/0-2100/min Impact rate:0-2000/0-3300
TIDLI20608A1-BC		<b>20V Lithium-Ion Hammer drill Combo(1Battery+1Charger)</b>	Brushless Motor Voltage:20V No-load speed:0-900/0-2000/min Max.impact rate:22500/min
TCKLI2006A		<b>Lithium-Ion Brushless drill 2-Pc. Combo Kit</b>	Voltage:20V With 1PCS Lithium-Ion Brushless drill With 1PCS Lithium-Ion impact driver With 2pcs 2.0Ah battery p
TFBLI2002A		<b>4.0Ah Lithium-Ion battery pack</b>	Voltage:20V Lithium-Ion 4.0Ah battery LED battery power indicator Suitable for P20S multiple
TFCLI2003A		<b>4A Fast intelligent charger</b>	Voltage:20V Charge current:4A Charges 20V 2.0Ah battery in 0.5Hr Charges 20V 4.0Ah battery in 1Hr
THT266125		<b>1/4"X5" Slotted screwdriver</b>	1pcs screwdriver with 1pcs plastic hanger S2, Round shank Slotted □6.5mm Diameter □6.0mm Length □125mm
THT26PH1100		<b>PH1X4" Phillips screwdriver</b>	1pcs screwdriver with 1pcs plastic hanger S2,PH1, Round shank Diameter □5.0mm length □100mm Packed by plastic hanger
THT26PH2038		<b>PH2X 1 1/2" Phillips screwdriver</b>	1pcs screwdriver with 1pcs plastic hanger S2,PH2, Round shank Diameter □6.0mm length □38mm Packed by plastic hanger
THT26PH2150		<b>PH2X6" Phillips screwdriver</b>	1pcs screwdriver with 1pcs plastic hanger S2,PH2, Round shank diameter □6.0mm length □150mm Packed by plastic hanger












ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
THTDC2146		<b>3/16"X4" Slotted Screwdriver</b>	40Cr, Round shank Slotted:5.0mm Diameter:5.0mm Length:100mm Packed by poly bag
THT210606		<b>6" Industrial Combination pliers</b>	Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger
THT220606		<b>6" Industrial Long nose pliers</b>	Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger
THT230606		<b>6" Industrial Diagonal cutting pliers</b>	Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger
THTM7386D		<b>8Oz. Mini Claw hammer</b>	Weight:8oz hammerhead same like 8oz Claw hammer Drop-forged hammerhead Heat treatment, 45# carbon steel
THT101063		<b>6" Adjustable wrench</b>	Length:150mm(6") Adjustable clamp size:0-19.2mm Packed by paper card
THT1010103		<b>10" Adjustable wrench</b>	Length:250mm(10") Adjustable clamp size:0-30mm Packed by paper card
THT1010123		<b>12" Adjustable wrench</b>	Length:300mm(12") Adjustable clamp size:0-35mm Packed by paper card
THT1010153		<b>15" Adjustable wrench</b>	Length:375mm(15") Adjustable clamp size:0-46mm Material 45# Carbon steel Packed by paper card
THT101066		<b>6" Adjustable wrench with rubber handle</b>	TOTAL Style Handle Length:150mm(6"),CrV Adjustable clamp size:0-24mm Two color rubber handle Packed by plastic hanger
THT101106		<b>10" Adjustable wrench with rubber handle</b>	TOTAL Style Handle Length:250mm(10"),CrV Adjustable clamp size:0-35mm Two color rubber handle Packed by plastic hanger












ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
THT171006		<b>10" Pipe wrench (Coated Handle)</b>	Size:10"(250mm) Max clamping diameter:34mm Mobile jaw drop-forged with high quality carbon steel
THT171206		<b>12" Pipe wrench (Coated Handle)</b>	Size:12" (300mm) Max clamping diameter:42mm Mobile jaw drop-forged with high quality carbon steel
THT171186		<b>18" Pipe wrench (Coated Handle)</b>	Size:18" (450mm) Max clamping diameter:60mm Mobile jaw drop-forged with high quality carbon steel
THT171246		<b>24" Pipe wrench (Coated Handle)</b>	Size:24" Max clamping diameter:76mm Mobile jaw drop-forged with high quality carbon steel
THTAL17146		<b>14" Aluminum Handle Pipe Wrench</b>	Size:14" (350mm) Max clamping diameter:50mm Aluminum Handle,easy to use Mobile jaw drop-forged w
THTAL17186		<b>18" Aluminum Handle Pipe Wrench</b>	Size:18" (450mm) Max clamping diameter:60mm Aluminum Handle,easy to use Mobile jaw drop-forged w
THT171102		<b>10" Self adjusting pipe wrench</b>	Size:10"/250mm Clamping diameter:14-40mm Carbon steel black finish and polish Packed by paper card
THT171142		<b>14" Self adjusting pipe wrench</b>	Size:14"/350mm Clamping diameter:18-52mm Carbon steel black finish and polish Packed by paper card
THTJ381006		<b>10" Industrial Quick Open Pump plier</b>	Size:10"/250mm Quick-open type Max clamping open:45mm CrNi,black finish and polish
THT281005		<b>10" Pump pliers</b>	Size:10"/250mm Max clamping open:50mm Cr-V,black finish and polish TPR two color handle
THT281202		<b>12" Pump pliers</b>	Size:12"/300mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger

ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
THT10309328		<b>2PCS Bent wrench set</b>	1 PCS double open end wrench, 9-14mm,15-22mm 1 PCS single open end wrench, 23-32mm Chrome plated
THT53321		<b>Pipe cutter</b>	Copper and aluminum pipe cutter Cutting diameter:3-32mm With high Quality blade and Aluminum knob Packed by sliding card
THT53425		<b>PVC Pipe cutter</b>	Length:193mm Cutting diameter:3-42mm Material:Aluminum Packed by double blister
THT53422		<b>Industrial PVC Pipe cutter</b>	Length:225mm Cutting diameter:3-42mm Material:Aluminum Packed by double blister
THT53351		<b>PVC Pipe cutter</b>	One time cutting Length:210mm Cutting diameter:3-35mm Material:Aluminum Packed by double blister
THT20409		<b>9" Industrial Caulking gun</b>	9" caulking gun Thickness:1.0mm Length: 235mm Diameter:55mm Iron shank with teeth With cutting function
THT1061826		<b>8PCS Pocket Hex key</b>	8pcs hex key( Pocket) Size:2-8mm Material:Cr-V Heat treatment and chrome plate Packed by plastic hanger
THT1061846		<b>8PCS Pocket Torx key</b>	8pcs torx key set( Pocket) Size:T9-T40 Material:Cr-V Heat treatment and chrome plate Packed by plastic hanger
THT106191		<b>9PCS Hex key</b>	9pcs hex key set Material:Cr-V Size:1.5-10mm Long arm Heat treatment and chrome plate
THT106292		<b>9PCS Long Ball point hex key</b>	9pcs ball point hex key set Material:Cr-V Size:1.5-10mm Extra-long arm Heat treatment and chrome plate
THT106391		<b>9 PCS Long Torx key set</b>	9pcs torx key set Material:Cr-V Size:T10-T50 Extra-long arm Heat treatment and chrome plate












ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
THBP0201	 TOOLS BACKPACK TOTAL SIZE: 450*240*170mm 18" x 13.8" x 6.8"	<b>Tools Backpack</b>	Material:polyester oxford 600D Size:34cm*17cm*45cm With 1pcs handle bag inside Rigid frame for easy open
THT261625	 16" With 16 Pockets Max Load 15kg	<b>16" Industrial Tools bag</b>	Size:16" Max load 15kg Rigid frame for easy opening and access Internal & external pockets for additional stor
THT36L01		<b>16" Industrial Tool bag with metal handle(Reinforced Base)</b>	Size 16" 21pcs pockets for tools 1pcs hanger for measuring tape Material 600D polyester Max load 20kg
THT16241		<b>24" Industrial Tool bag(Reinforced Base)</b>	Size:24" Rigid frame for easy opening and access Reinforced plastic base for durability Internal pockets for addit
THMFK0156		<b>Multi-function Knife</b>	Multi-function Knife Strong Aluminium Handle Product size:9.5cm With 15 Function 1.Large knife 2.Can opener 3.Phillips screwdri
TFMFT01151		<b>Foldable multi-function tool</b>	Stainless steel handle with soft rubber grip Stainless steel components Foldable,easy to carry Includes 1pcs nylon belt pouch
THKTV02	 STACKABLE BOX Empty 80mm 450mm 340mm	<b>Stackable Plastic Box</b>	SIZE: 340*250*60mm Can be stacked together Material PP Plastic partition inside & Can separate the area packed by carton box
THT31142		<b>Industrial Staple gun</b>	Nails size:4-14mm Nails outer diameter:11.3mm Nails width:1.2mm Weight:800g With 1000PCS nails
THT39102		<b>10MMX1.2MM Staples</b>	1000pcs saples(for TOTAL THT31142) size:10mm width:1.2mm Packed by color box
THT525106		<b>12" Long straight aviation snip</b>	Aviation snip( Straight) Length:300mm(12") TOTAL Style two tone soft handle Cutting plastic or rubber or 0.5mm brass wire net
THTJ531106	 CrMo 0.7mm 1.5mm Longer lifetime	<b>Industrial Left Aviation snip</b>	TOTAL Style two tone soft handle Aviation snip (Left) Length:250mm(10") Max.cutting thicness: Carbon steel 21.2mm












ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
THTJ532106		<b>Industrial Straight Aviation snip</b>	TOTAL Style two tone soft handle Aviation snip( Straight) Length:250mm(10") Max.cutting thickness: Carbon steel ?1.2mm
THTJ533106		<b>Industrial Right Aviation snip</b>	TOTAL Style two tone soft handle Aviation snip( Right) Length:250mm(10") Max.cutting thickness: Carbon steel ?1.2mm
THT520106K		<b>10" Aviation snip set</b>	TOTAL Style two tone soft handle 3Pcs Aviation snip (Left,Straight,Right) Length:250mm(10") Max.cutting thickness:
THMHF1501		<b>6" Mini Hacksaw Frame</b>	Mini Hacksaw Size:150mm(6") With 1 pcs blade Packed in paper card
THMHF1503		<b>6" Mini Hacksaw Frame(Aluminum body)</b>	Mini Hacksaw Size□150mm□6"□ Comfortable handle Aluminum body With 1 pcs blade Packed in paper card
TMHSB1501		<b>6" Mini Hacksaw Blade</b>	Size:152mm(6") Number of teeth:24T 10Pcs/Set Material:65Mn Suitable for item THMHF1501 THMHF150
THT541026		<b>12" Hacksaw frame</b>	TOTAL Style New design Size:300mm/12"
THT571186		<b>Bi-Metal Hacksaw Blade(18T)</b>	Material:M42+D6A Number of teeth:18T Size:300mm(12") 100Pcs/Box Packed by plastic box
THT571246		<b>Bi-Metal Hacksaw Blade(24T)</b>	Material:M42+D6A Number of teeth:24T Size:300mm(12") 100Pcs/Box Packed by plastic box
THT571326		<b>Bi-Metal Hacksaw Blade(32T)</b>	Material:M42+D6A Number of teeth:32T Size:300mm(12") 100Pcs/Box Packed by plastic box
THWBSW66		<b>6" Industrial Drywall saw SK5</b>	Same as STANLEY quality level Size:6"/150mm Material:Taiwan SK5 8TPI,heat treatment teeth Triple teeth(Precision gro












ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
THFSW1806		<b>7" Industrial Folding Saw SK5</b>	Same as STANLEY quality level Size:7"/180mm Material:Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision gro
THT55166		<b>16" Hand saw</b>	Length:400mm/16" Thickness:0.9mm, 7TPI With teeth protector Heat treatment Packed by paper card
THT511806		<b>Snap-off blade knife</b>	Blade Size:18mmx100mm With 1 pcs SK4 blade With flat push button Packed by sliding card
THT511836		<b>Snap-off blade knife (+3 extra blades)</b>	Blade Size:18mmx100mm With 3 pcs SK5 blades Length:169mm With flat push button Packed by sliding card
THT519181		<b>10pcs blades set</b>	Size:18mmx100mm With 10pcs blade Pack by plastic box
THT5116118		<b>Retractable Utility knife(5 Extra Blades)</b>	Size:180x45mm Blade size:61x19mm SK5 blade With 5 blades Pack by double blister
THT5136288		<b>Folding knife</b>	Stainless steel folding knife Length□180mm Net weight□165g Blade size□61mm*19mm With 6pcs SK5 blade
THT519611		<b>10pcs blades set</b>	size:61mmx19mm With 10pcs SK5 blade Pack by plastic box
TAC1001163		<b>1/16" HSS drill bit</b>	HSS,diameter:1/16" 10pcs/poly bag Packed by poly bag
TAC1005643		<b>5/64" HSS drill bit</b>	HSS,diameter:5/64" 10pcs/poly bag Packed by poly bag
TAC1003323		<b>3/32" HSS drill bit</b>	HSS,diameter:3/32" 10pcs/poly bag Packed by poly bag












ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TAC1007643		<b>7/64" HSS drill bit</b>	HSS,diameter:7/64" 10pcs/poly bag Packed by poly bag
TAC1001083		<b>1/8" HSS drill bit</b>	HSS,diameter:1/8" 10pcs/poly bag Packed by poly bag
TAC1009643		<b>9/64" HSS drill bit</b>	HSS,diameter:9/64" 10pcs/poly bag Packed by poly bag
TAC1005323		<b>5/32" HSS drill bit</b>	HSS,diameter:5/32" 10pcs/poly bag Packed by poly bag
TAC1011643		<b>11/64" HSS drill bit</b>	HSS,diameter:11/64" 10pcs/Poly bag
TAC1003163		<b>3/16" HSS drill bit</b>	HSS,diameter:3/16" 10pcs/poly bag Packed by poly bag
TAC1007323		<b>7/32" HSS drill bit</b>	HSS,diameter:7/32" 10pcs/poly bag Packed by poly bag
TAC1015643		<b>15/64" HSS drill bit</b>	HSS,diameter:15/64" 10pcs/Poly bag
TAC1001043		<b>1/4" HSS drill bit</b>	HSS,diameter:1/4" 10pcs/poly bag Packed by poly bag
TAC1009323		<b>9/32" HSS drill bit</b>	HSS,diameter:9/32" 10pcs/poly bag Packed by poly bag
TAC1005163		<b>5/16" HSS drill bit</b>	HSS,diameter:5/16" 5pcs/poly bag Packed by poly bag

























ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TAC1003083		<b>3/8" HSS drill bit</b>	HSS,diameter:3/8" 5pcs/poly bag Packed by poly bag
TAC1015323		<b>15/32" HSS drill bit</b>	HSS,diameter:15/32" 5pcs/Poly bag
TAC1001023		<b>1/2" HSS drill bit</b>	HSS,diameter:1/2" 5pcs/poly bag Packed by poly bag
TAC1005083		<b>5/8" HSS drill bit</b>	HSS,diameter:5/8" 5pcs/poly bag Packed by poly bag
TAC2103081		<b>3/8"x4-3/4" Masonry drill bit</b>	3/8"x4-3/4" Packed by plastic bag
TAC2103083		<b>3/8"x8" Masonry drill bit</b>	3/8"x8" Packed by plastic bag
TAC2103161		<b>3/16"x3-3/8" Masonry drill bit</b>	3/16"x3-3/8" Packed by plastic bag
TAC2105162		<b>5/16"x6" Masonry drill bit</b>	5/16"x6" Packed by plastic bag
TAC2105321		<b>5/32"x3" Masonry drill bit</b>	5/32"x3" Packed by plastic bag
TAC2107321		<b>15/64"x4" Masonry drill bit</b>	15/64"x4" Packed by plastic bag
TAC2107322		<b>15/64"x6" Masonry drill bit</b>	15/64"x6" Packed by plastic bag












ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TAC2115321		<b>15/32"X6" Masonry drill bit</b>	15/32"x6" Packed by plastic bag
TAC321007		<b>3/8"X10" SDS Max hammer drill bit</b>	10X 260mm,SDS Max Packed by plastic hanger
TAC321207		<b>15/32"X10" SDS Max hammer drill bit</b>	12X 260mm,SDS Max Packed by plastic hanger
TAC321407		<b>9/16"X10" SDS Max hammer drill bit</b>	14X 260mm,SDS Max Packed by plastic hanger
TAC321600		<b>5/8"X13" SDS Max hammer drill bit</b>	16 X 340mm,SDS Max Packed by plastic hanger
TAC321808		<b>11/16"X21" SDS Max hammer drill bit</b>	18 X 540mm,SDS Max Packed by plastic hanger
TAC322005		<b>13/16"X24" SDS Max hammer drill bit</b>	20 X 600mm,SDS Max Packed by plastic hanger
TAC322205		<b>7/8"X24" SDS Max hammer drill bit</b>	22X 600mm,SDS Max Packed by plastic hanger
TAC322506		<b>1"X32" SDS Max hammer drill bit</b>	25 X 800mm,SDS Max Packed by plastic hanger
UTACG100601		<b>1/4"X3" Tile and glass drill bit</b>	1/4"x3" Packed by plastic tube
UTAC190501		<b>5 PCS Hammer drill bits set</b>	5 PCS SDS PLUS KIT 1/4"X4 3/8",5/16"X4 3/8",5/16"X6 1/4",3/8"X6 1/4",15/32"X6 1/4" Packed by plastic box








ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
UTACSD0066		<b>6 PCS HSS twist drill bits set</b>	Size:5/64",7/64", 5/32",3/16",7/32",5/16" 6pcs HSS drill bits set Packed by plastic box
UTACSD5051		<b>5 PCS Industrial Masonry drill bits set</b>	Size:5/32"x3- 3/8",3/16"x4",1/4"x4- 3/4", 5/16"x4-3/4",3/8"x4- 3/4" 5pcs masonry drill bit set Packed by plastic box
TAC470131		<b>1/2" Chuck key</b>	Key for 13mm key chuck Length:80mm Packed in color box
TAC1521181		<b>12" Pointed SDS max chisel</b>	18X300mm,pointed Packed by plastic hanger
TAC15221822		<b>16"X2" Flat SDS max chisel</b>	18 X400X 50mm,flat Packed by plastic hanger
TAC153172		<b>11"x7/8" flat Hex chisel</b>	17x280x22mm,flat For TOTAL item TH213006 Packed by plastic tube
TAC461601		<b>2PCS Screwdriver bit holder set</b>	60mm,2pcs/set Material:steel + Cr-v Packed by sliding card
TAC2211155		<b>4.5"X3/64"X7/8"10 PCS metal cutting disc set</b>	10pcs/set 10pcs/shrink 115MM(4/ 1/2")X1.2MM (3/64")X22.2MM(7/8") Flat centre cutting disc for metal
TAC2211153		<b>4.5"X1/16"X7/8" Abrasive metal cutting disc</b>	115MM(4/ 1/2")X1.6MM (1/16")X22.2MM(7/8") Flat centre cutting disc for metal
TAC2211251		<b>5"X1/8"X7/8" Abrasive metal cutting disc</b>	125mm(5")X3.0mm(1/8") X22.2mm(7/8") Depressed centre cutting disc for metal
TAC2231151		<b>4.5"X1/4"X7/8" Abrasive metal grinding disc</b>	115mm(4/ 1/2")X6.0mm (1/4")X22.2mm(7/8") Depressed centre MPA standard grinding disc for metal

ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TAC2231251		<b>5"X1/4"X7/8" Abrasive metal grinding disc</b>	125mm(5")X6.0mm(1/4") X22.2mm(7/8") Depressed centre grinding disc for metal
TAC631151		<b>4.5" P40 Flap disc for Steel</b>	Size:115mm*22mm,P40 suitable for high steel,steel,cast iron and sheet steel Packed by label
TAC2131151HT		<b>4 1/2"X7/8" Ultrathin diamond disc</b>	115mm X 22.2mm Blade width:8mm Metal base thickness:0.8mm With flange plate Universal purpose:cerami
TAC2111151		<b>4.5"X7/8" Dry diamond disc</b>	115(4-1/2")X22mm Blade width:10mm Packed by color box
TAC2131153		<b>4 1/2"X7/8" Turbo diamond disc</b>	115(4-1/2")X22mm Blade width:7.5mm Packed by color box
TAC2131151		<b>4 1/2"X7/8" Industrial Turbo diamond disc</b>	115(4-1/2")X22mm Blade width:10mm Packed in color box
TAC430501		<b>2" Hole core bit</b>	Diameter:50mm 5pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box
TAC430651		<b>2-1/2" Hole core bit</b>	Diameter:65mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box
TAC430801		<b>3-1/8" Hole core bit</b>	Diameter:80mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box
TAC431001		<b>4" Hole core bit</b>	Diameter:100mm 10pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box
TAC43A13501		<b>14" SDS PLUS Adaptor(for Hole Core bit)</b>	Shank:SDS Plus,Thread:M22 Length:350mm With 1pcs 8X110mm drill bit Suitable for TOTAL item



ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TAC43C16002		<b>24" SDS MAX Adaptor(For Hole Core bit)</b>	Shank:SDS MAX, Thread:M22*2 Length:600mm With 1pcs 8X110mm drill bit Packed by plastic tube
TAC410161		<b>5/8"X1-1/2" Bi-metal Hole saw</b>	Diameter:16mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by color box
TAC410191		<b>3/4"X1-1/2" Bi-metal Hole saw</b>	Diameter:19mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister
TAC410221		<b>7/8"X1-1/2" Bi-metal Hole saw</b>	Diameter:22mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister
TAC410251		<b>1"X1-1/2" Bi-metal Hole saw</b>	Diameter:25mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister
TAC410321		<b>1-1/4"X1-1/2" Bi-metal Hole saw</b>	Diameter:32mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by color box
TAC410381		<b>1-1/2"X1-1/2" Bi-metal Hole saw</b>	Diameter:38mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister
TAC410461		<b>1-3/4"X1-1/2" Bi-metal Hole saw</b>	Diameter:46mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister
TAC410511		<b>2"X1-1/2" Bi-metal Hole saw</b>	Diameter:51mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister
TAC410641		<b>2-1/2"X1-1/2" Bi-metal Hole saw</b>	Diameter:64mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister
TAC410761		<b>3"X1-1/2" Bi-metal Hole saw</b>	Diameter:76mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister

ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TACSH1121		<b>12PCS Bi-metal Hole saw set</b>	Hole saw 12pcs set Size:20mm,22mm,25mm,29mm,32mm,35mm,38mm,44mm,48mm,50mm,2pcs hole saw arbors Packed by Aluminum case
TAC4201		<b>3/8" Arbor for hole saw</b>	Arbor for hole saw Hex shank 3/8" Fit hole saws 14mm to 30mm Packed by double blister
TAC4202		<b>7/16" Arbor for hole saw</b>	Arbor for hole saw Hex shank 7/16" Fit hole saws 30 to 200mm Packed by double blister
TAC51101D		<b>5PCS Jig saw blade for wood set</b>	Clean for wood Length of tooth:75mm,tooth space:4-5.2mm Softwood, chipboards, wood core plywood, fibre
TAC51118B		<b>5PCS Jig saw blade for metal</b>	Basic for metal length of tooth:50mm,tooth space:1.9-2.3mm HSS,wavy set,milled, Medium-thick sheet metal
TMT126051		<b>16'x3/4" Steel measuring tape (Rubber Cover)</b>	Length & width:5mx19mm With metric and inch With 3 stop button function With rubber cover
TMT126052		<b>16'x1" Steel measuring tape (Rubber Cover)</b>	Length & width:5mx25mm With metric and inch With 3 stop button function With rubber cover
TMT126081		<b>26'x1" Steel measuring tape (Rubber Cover)</b>	Length & width:8mx25mm With metric and inch With 3 stop button function With rubber cover
TMT56016		<b>Laser Distance Detector</b>	Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm, <1mW, Class 2
TMT2267		<b>9" Mini Spirit level</b>	Length □225mm With magnetic With 3 vials Material:Aluminum and ABS plastic Packed by color sleeve
TMT2406		<b>16" Spirit level</b>	Length:40cm V-shape slot for measuring cylinder objects Double side milled 0.5mm/m accurate vials

ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TMT20105M		<b>4" Hand level with Magnet</b>	Length:10cm VPA standard With 2pcs magnet 0.5mm/m solid shockproof acrylic vial Thickness:1.5mm
TMT20405M		<b>16" Spirit level with powerful magnets</b>	Length:40cm 2 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm
THT2910003		<b>AC Voltage Detector</b>	AC Voltage: 12V~1000V (High sensitivity) 48~1000V(Low sensitivity) Frequency:50/60Hz Alarm mode: Sound and l
TETAN01		<b>Digital Anemometer</b>	Range of Air speed0.80-40.00m/s Resolution 0.01 ±(2.0%+30) Data hold With backlight function
TETGA01		<b>Digital gas indicators</b>	Range:0~9999ppm (methane) Detecting gas:Combustible gas Accuracy:≤ 5% FS (methane)
TETGA23		<b>Digital gas indicators</b>	Range:50~1000ppm (methane) Detecting gas:Combustible gas Response sensitivity: <50PPM
TETHT01		<b>Digital Humidity &amp; Temperature Meter</b>	Ambient temperature:-20°C~60°C □ -4°F~140°F □ Ambient humidity:0~100% Web bulb temperature:-20°C~60°C □ -4°F~140°F □
TETHT23		<b>Digital Humidity &amp; Temperature Meter</b>	Ambient temperature:-20°C~60°C □ -4°F~140°F □ Ambient humidity:0~99% RH Web bulb temperature:-20°C~60°C □ -4°F~140°F □
THIT015501		<b>Infrared thermometer</b>	Temperature:-30°C~550°C (-22°F~1022°F) Color display screen D:S=12:1 Response time<0.5S
TSP11102		<b>Knitted &amp; PVC dots gloves</b>	Size: 10 (XL) Use for transporting and cargo handling worker, recycling worker, repairer etc. Gauge:10
TSP12101		<b>Nitrile gloves</b>	Size:XL Use for oil environment (less oil)worker etc. Nitrile coated palm, smooth and rough-texture palm finish.

ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
TSP12105		<b>Fully Coated Nitrile Gloves</b>	Size:10(XL) Use for oil environment (much oil) worker etc. Heavy nitrile fully coated gloves Packed by poly bag
TSP13101		<b>Latex gloves</b>	Size:XL Use for heavy cargo handling worker, slight sharp objects carrier etc. Latex gloves Cotton/polyester seamless
TSP13106-XL		<b>Latex gloves</b>	Size:XL Use for heavy cargo handling worker, slight sharp objects carrier etc. From pressing,longer life time than normal.
TSP1701-XL		<b>PU Coated Cut-resistant gloves</b>	Size:XL Use for timber and glass cutting worker, heavy sharp objects carriers etc. PU coated palm,flexible and good feeling.
TSP1706-XL		<b>Latex Coated Cut-resistant gloves</b>	Size:XL Use for timber and glass cutting worker, heavy sharp objects carriers etc. From pressing,longer life time than normal.
TSP413		<b>Face Mask</b>	Adjustable nose clip offers a secure fit Materials: Polypropylene,PP filter fibre,and Polyester Suggested applications for
THKPT0201		<b>Kneepads</b>	Size: 215x180mm PVC outer shell provides maximum impact resistance Moulded foam body provides extra comfort
THTRS2061		<b>20'X1"X3300LB Ratchet Tie-Down Strap</b>	Load:1.5T Length:6M Width:25mm With ratchet and double j hooks Packed by strap
THTRS3101		<b>32'X2"X6600LB Ratchet Tie-Down Strap</b>	Load:3T Length:10m Width:50mm With ratchet and double j hooks
TFL013AAA1		<b>200 Lumens Waterproof Industrial Flashlight</b>	Aviation grade aluminum alloy:6N01-T6 Brightness:200 lumens Use alkaline 3AAA battery Tail light switch
THAB2A01		<b>AA Alkaline Battery</b>	1.5V LR6 AA Alkaline Nominal voltage:1.5V Size AA(LR6) Aluminum jacket Expiry period:5 years Capacity: 2900 mAh



ITEM	PICTURE	DESCRIPTION	SPECIFICATIONS
THAB3A01		<p align="center"><b>AAA Alkaline Battery</b></p>	<p>1.5V LR03 AAA Alkaline Nominal voltage:1.5V Size □ AAA(LR03 ) Aluminum jacket Expiry period:5 years Capacity: 1300 mAh</p>
THL013AAA2		<p align="center"><b>Headlamp</b></p>	<p><b>Brightness:</b> Max:200 lumens Low:50 lumens Use alkaline 3AAA battery Max 50m beam distance</p>